

RATIMOR®

Brodifacoum

GB Ratimor Brodifacoum Wax Blocks

Active substance: brodifacoum 0.005% w/w (0.05 g/kg) (CAS no.: 56073-10-0)
Contains the human aversive agent denatonium benzoate, Bitrex.
(Bitrex is a Trade Mark of MacFarlan Smith, Edinburgh)

A ready-to-use wax blocks containing Brodifacoum (0.005% w/w) for use as a rodenticide by professionals for the control of rats and mice indoors, outdoors around buildings and in sewers for the protection of public health, stored products and materials. For Use as a Rodenticide Only. For Professional Use Only.

Precautionary statements: Keep out of reach of children. Read label before use. Keep away from food, drink and animal feedingstuffs. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves (Professional only). IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Store in a closed container. Store locked up. Dispose of contents/container in accordance with national regulation.

Addition safety information: To avoid risks to human health and the environment, comply with the instructions for use. Use bait containers clearly marked "poison" at all surface baiting points. Remove all remains of bait, dead rodents during and after treatment and dispose of safely. Prevent access to bait by children, domesticated animals and pets, (particularly cats, dogs and pigs). Harmful to wildlife.

Authorisation No.: UK-2014-0858

Prevent access to bait by children, domesticated animals and pets, (particularly cats, dogs and pigs). Read attached instructions before use.

APPLICATION DETAILS:

Indoors and outdoors around buildings (urban and agricultural buildings) Rats: Secure 10-60g of bait in covered tamper resistant baiting stations or covered bait points spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active. Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings). Do not move or disturb bait points for several days after laying bait. If no signs of rat activity are seen near the bait after 7-10 days, move the bait to an area of higher rat activity. **Mice:** Secure 10-20g bait in covered tamper resistant baiting stations or covered bait points spaced 5m apart (2m apart in high infestation areas) in areas where mice are active. Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings). Make frequent inspections of the bait points during the first 10-14 days. If all the bait has been eaten from certain areas, increase the quantity of bait by placing more bait points. Do not increase the bait point size. Replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt.

In sewers Rats: Secure 20-200g of bait per station to available structures to ensure the bait is not washed away. Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation.

Instructions for safe handling and use: Always read the label before use and follow the instructions provided. Avoid all unnecessary exposure, in particular avoid ingestion. Product must be handled in a safe manner. Do not decant product into unlabelled

Wax blocks

20 g



0,05g/kg



5 kg



containers. A thorough survey of the infested area is essential, particularly in secluded and sheltered places, to determine the extent of the infestation. Baits must be securely deposited in baiting stations or other coverings so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away. For use in sewers where there is no risk to children, companion animals and non-target species blocks should be secured to available structures by wire to ensure the block is not washed away. Dead rodent bodies, remains of unused bait or any fragments of bait found away from the bait station must be collected during all control operations to minimize the risk of consumption and poisoning to children, companion animals and other non-target animals. It is illegal to use this product for the intentional poisoning of non-target, beneficial and protected animals. Wash hands and face after application and use of the product, and before eating, drinking or smoking. For professional users the use of appropriate personal protective equipment (PPE) is advised.

First aid: In case of accident, suspected exposure or if you feel unwell, seek medical advice immediately (show the label where possible). In case of contact with skin, wash with soap and water. Remove and launder any contaminated clothing. In case of contact with eyes, remove contact lenses if present and rinse the eye slowly and gently with water for 15-20 minutes. Seek medical advice immediately. Antidote: Vitamin K1 – under medical supervision. UK medical professionals should contact the National Poisons Information Service for further advice.

Storage: Store in a cool, dry, well-ventilated place. Keep only in original container.

Disposal: This material and its container must be disposed of safely. Dispose of packaging, remains of unused product and dead rodents in accordance with local regulations. If required, consult a professional waste operator or local authority.

CONTAINS: 5 kg

DATE OF MANUFACTURE, DATE OF EXPIRY AND BATCH NUMBER are printed on the packaging.

AUTHORISATION HOLDER:

UNICHEM d.o.o.

Sinja Gorica 2, SI-1360 Vrhnika,
Slovenia, www.unichem.si,
Tel: +386 1 7558 152,
email: unichem@unichem.si

DISTRIBUTOR:

Killgerm

Killgerm Chemicals Ltd, P.O.BOX 2,
Ossett, West Yorkshire, WF5 9NA, UK,
Tel.: 01924 268 400, Fax: 01924 264 757,
http://www.Killgerm.com

32393

