

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY BY PROFESSIONAL OPERATORS

The (COSHH) Control Of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Avoid contact with skin. Wear suitable protective clothing and gloves.

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRY REGULARLY.

Do not breathe the mist. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment-A Practical Guide").

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER WATER STORAGE TANKS before application.

This material and its container must be disposed of in a safe way.

EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. DO NOT APPLY DIRECTLY TO ANIMALS. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

AVOID ALL CONTACT WITH PLANT LIFE. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

Protect milk machinery and milk containers from contamination.

Avoid release to the environment. Refer to safety data sheet

READ ALL PRECAUTIONS BEFORE USE (HSE 4647)

DIRECTIONS FOR USE

Dose rate – 100ml per 1000m³.

Flow rate – 35ml per minute
(Exodus & E2 Microgen machine).

Application equipment – Use the Exodus, Micro-gen or other suitable ULV-droplet generating equipment to disperse this product.

Use undiluted. Remove black plastic screw cap and foil seal. Then fit the 1 litre capacity designated bottle into the machine. Ensure that the top of the bottle dip tube engages with the machine spindle. Close room or warehouse and shut off all ventilating systems and pilot lights. When using in animals houses, livestock need not be removed from the building but should not be sprayed directly with the mist. Leave the room closed for 1 hour after treatment. Do not remain in treated areas and ventilate before re-entry.

Repeat application as necessary for insect control.

Space sprays containing pyrethrins or pyrethroids must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to resistance. If more frequent treatments are required, use a product with a different active ingredient and if necessary, a different control method (such as a bait).

**HARMFUL: MAY CAUSE LUNG
DAMAGE IF SWALLOWED**

**TOXIC TO AQUATIC ORGANISMS, MAY
CAUSE LONG-TERM ADVERSE EFFECTS
IN THE AQUATIC ENVIRONMENT**

FOR USE ONLY AS AN INSECTICIDE

PRECAUTIONS

WASH ANY CONTAMINATION from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after use.

Keep only in the original container. Keep container tightly closed.

KEEP IN A SAFE PLACE.

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

Keep out of reach of children.

Keep away from sources of ignition – No Smoking.

VENTILATE TREATED AREAS THOROUGHLY after application.

COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

Use appropriate containment to avoid environmental contamination.

Protect from frost.

When not in use, store upright with cap screwed tightly on.

Read safety data sheet.

Use biocides safely. Always read the label and product information before use

To avoid risk to man and the environment, comply with the instructions for use.



Killgerm
www.killgerm.com

ULV 500 Insecticide

**TETRAMETHRIN 2.2% W/W (18.4g/LITRE)
D-PHENOTHRIN 4.4% W/W (36.8g/LITRE)**

A ready to use, ULV, oil based formulation for the control of two winged flies (including mosquitoes), fleas, cockroaches, beetles, moths and booklice, ants, wasps, earwigs, silverfish and other bristletails, bedbugs, mites, spiders, ticks in domestic and public hygiene situations. For use in kitchens and other rooms in domestic premises and for use in specialised areas such as hospitals (not in occupied ward areas), holds and cabins in ships and in museums. Also for use in and around farm buildings. Not for use in grain silos or inside grain storage bins. Also for use on refuse tips and in vehicles.



**DANGEROUS FOR
THE ENVIRONMENT**

This product is
approved under the
Control of Pesticides
Regulations 1986.
HSE No. 4647



HARMFUL

Killgerm Chemicals Ltd., P.O. Box 2, Ossett, W. Yorks. WF5 9NA.

t 01924 268400 f 01924 264757 e info@killgerm.com www.killgerm.com

Contents: 1 Litre

Label Ref: 08/13

Batch No: See Separate Sticker